

Receipt date: 09/29/2008

~~DO NOT ENTER: /J.S./~~

10664595 - GAU: 3774

Appln. No.: 10/664,595
Amendment Dated September 29, 2008
Reply to Office Action of July 1, 2008

BSI-597US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appln. No: 10/664,595
Applicant: Timothy Chuter
Filed: September 19, 2003
Title: MODULAR STENT-GRAFT FOR ENDOVASCULAR
REPAIR OF AORTIC ARCH ANEURYSMS AND DISSECTIONS
T.C./A.U.: 3774
Examiner: Jonathan Stroud
Confirmation No.: 3652
Docket No.: BSI-597US

AMENDMENT UNDER 37 C.F.R. § 1.116

Expedited Procedure

Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Responsive to the Final Office Action dated July 1, 2008, please amend the above-identified application as follows:

- ☐ **Amendments to the Specification** begin on page _____ of this paper.
- ☒ **Amendments to the Claims** are reflected in the listing of claims which begins on page 2 of this paper.
- ☐ **Amendments to the Drawings** begin on page _____ of this paper and include an attached replacement sheet(s).
- ☐ **Amendments to the Abstract** are on page _____ of this paper. A clean version of the Abstract is on page _____ of this paper.
- ☒ **Remarks/Arguments** begin on page 4 of this paper.